

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	0	?gmii and (bxf bxd) and txen and bxd4 and rxd and rxerr and rxd9 and rtbi	USPAT	OR	ON	2005/08/30 14:24
S4	1	?gmii and crs and col	USPAT	OR	ON	2005/08/30 14:25
S6	0	(?gmii gmii) and crs and col and (bxf bxd) and bxd4 and rxd and rxerr and rxd9	USPAT	OR	ON	2005/08/30 14:26
S11	0	?gmii and crs and col and (bxf bxd) and txen and rxd	USPAT	OR	ON	2005/08/30 14:27
S10	0	?gmii and crs and col and (bxf bxd) and txen and rxd and rxerr	USPAT	OR	ON	2005/08/30 14:27
S9	0	?gmii and crs and col and (bxf bxd) and bxd4 and rxd	USPAT	OR	ON	2005/08/30 14:27
S8	0	?gmii and crs and col and (bxf bxd) and txen	USPAT	OR	ON	2005/08/30 14:27
S3	0	?gmii and crs and col and (bxf bxd) and txen and bxd4 and rxd and rxerr and rxd9	USPAT	OR	ON	2005/08/30 14:27
S13	0	?gmii and crs and col and (bxf bxd) and rxd	USPAT	OR	ON	2005/08/30 14:28
S12	0	?gmii and crs and col and (bxf bxd) and rxd and rxerr	USPAT	OR	ON	2005/08/30 14:28
S7	2	(?gmii gmii) and crs and col and (bxf bxd)	USPAT	OR	ON	2005/08/30 14:28
S14	0	("6108726" "8385208").pn. and gmii	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 15:42
S5	3	(?gmii gmii) and crs and col	USPAT	OR	ON	2005/08/30 15:42
S15	1	("6108726" "8385208").pn. and reduc\$3 with (pin count)	USPAT	OR	ON	2005/08/30 15:43
S1	0	?gmii and crs and col and (bxf bxd) and txen and bxd4 and rxd and rxerr and rxd9 and rtbi	USPAT	OR	ON	2005/08/31 11:17
L2	6	("4415984"   "5737589"   "5870594"   "6047021"   "6108794"   "6345328").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/31 11:29
L6	1	("4415984"   "5737589"   "5870594"   "6047021"   "6108794"   "6345328").PN. and reduc\$3 and (gmii mii pin)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/31 11:30

L5	0	("4415984"   "5737589"   "5870594"   "6047021"   "6108794"   "6345328").PN. and reduc\$3 same (gmii mii pin)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/31 11:30
L4	0	("4415984"   "5737589"   "5870594"   "6047021"   "6108794"   "6345328").PN. and reduc\$3 with (gmii mii pin)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/31 11:30
L3	0	("4415984"   "5737589"   "5870594"   "6047021"   "6108794"   "6345328").PN. and reduc\$3 with (gmii mii pin with count)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/31 11:30
L10	0	"6920132".pn. and edg\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:03
L9	0	"6920132".pn. and edg	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:03
L8	0	"6920132".pn. and edge	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:03
L7	0	"6920132".pn. and edge with clock\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:03
L12	0	"6920132".pn. and "500"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:05
L11	1	"6920132".pn. and clock\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:05
L16	1	"500" adj2 (picosecond "pico-second") and rgmii	US-PGPUB; USPAT	OR	ON	2005/08/31 12:06
L15	1	"500" adj2 (picosecond "pico-second") and gmii	US-PGPUB; USPAT	OR	ON	2005/08/31 12:06
L14	337	"500" adj2 (picosecond "pico-second")	US-PGPUB; USPAT	OR	ON	2005/08/31 12:06

L17	2	"500" adj2 (picosecond "pico-second") and gigabit with interfac\$3	US-PGPUB; USPAT	OR	ON	2005/08/31 12:08
L18	1	" +/-500" adj2 (picosecond "pico-second") and gigabit with interfac\$3	US-PGPUB; USPAT	OR	ON	2005/08/31 12:09
L19	3	" +/-500" adj2 (picosecond "pico-second" ps) and gigabit with interfac\$3	US-PGPUB; USPAT	OR	ON	2005/08/31 12:10
L23	5	22 not (dove chadha).as.	US-PGPUB; USPAT	OR	ON	2005/08/31 12:12
L22	5	(" +/-500" "500") adj2 (picosecond "pico-second" ps) and (gigabit "giga-bit") with interfac\$3 and reduc\$3 with (pin gmii mii interfac\$3)	US-PGPUB; USPAT	OR	ON	2005/08/31 12:12
L21	13	(" +/-500" "500") adj2 (picosecond "pico-second" ps) and (gigabit "giga-bit") with interfac\$3	US-PGPUB; USPAT	OR	ON	2005/08/31 12:12
L26	0	"6920132".pn. and two with bit	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:41
L25	0	"6920132".pn. and ten with bit	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:41
L24	1	"6920132".pn. and bit	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:41
L28	1	"6920132".pn. and "10" with bit	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:42
L30	1	"6920132".pn. and uv	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:43
L29	1	"6920132".pn. and uv with bit	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:43

L31	1	"6604206".pn. and ten with bit	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:45
L1	4	"6604206".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 12:45
L27	1	"6920132".pn. and eight with bit	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:11
L32	1	"6920132".pn. and "2.5 Mhz"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:12
L35	0	"6920132".pn. and pico\$9	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:13
L34	0	"6920132".pn. and pico\$9 and nano\$9	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:13
L33	1	"6920132".pn. and "2.5 Mhz" same "125 MHZ"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:13
L36	0	"6920132".pn. and nano\$9	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 13:14
L38	1	reduc\$3 with interfac\$3 and pico\$9 and nano\$9 and (MII gmii rgmii rmii)	USPAT	OR	ON	2005/08/31 13:15
L39	0	"6920132".pn. and output with pin	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:03

L13	0	"6920132".pn. and (picosecond "pico-second")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:03
L40	0	"6920132".pn. and output same pin	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:04
L41	1	"6920132".pn. and pin	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:32
L42	1	"6920132".pn. and crs with col	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:41
L43	3	gmii and ("12" twelve) adj pin	US-PGPUB; USPAT	OR	ON	2005/08/31 14:42
L44	2	"20030084195".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:02
L20	3	" +/-500" adj2 (picosecond "pico-second" ps) and (gigabit "giga-bit") with interfac\$3	US-PGPUB; USPAT	OR	ON	2005/08/31 15:02